# BRAIN RESEARCH

**VOL. 566 NOS. 1/2** **CONTENTS** **6 DECEMBER 1991**



*Announcement from the Publisher* v

*Research Reports*

Regional differences in the regulation of acetylcholine release upon $D_2$ dopamine- and *N*-methyl-D-aspartate receptor activation in rat nucleus accumbens and neostriatum
J.M.L. Henselmans and J.C. Stoof (The Netherlands) 1

Differences in the regulation of acetylcholine release upon $D_2$ dopamine and *N*-methyl-D-aspartate receptor activation between the striatal complex of reptiles and the neostriatum of rats
J.M.L. Henselmans, P.V. Hoogland and J.C. Stoof (The Netherlands) 8

Autoradiographic distribution of $\alpha_2$ adrenoceptors, NAIBS, and 5-$HT_{1A}$ receptors in human brain using [$^3$H]idazoxan and [$^3$H]rauwolscine
H. De Vos, A. Convents, J. De Keyser, J.-P. De Backer, I.J.B. Van Megen, G. Ebinger and G. Vauquelin (Belgium, The Netherlands) 13

Restoration of serotonergic innervation underlies the behavioral effects of raphe grafts
G. Richter-Levin and M. Segal (Israel) 21

Efferent projections of the infralimbic (area 25) region of the medial prefrontal cortex in the rat: an anterograde tracer PHA-L study
M. Takagishi and T. Chiba (Japan) 26

Neither triazolam nor activity phase advance circadian locomotor activity in SCN-lesioned hamsters bearing fetal SCN transplants
R.S. Canbeyli, M.T. Romero and R. Silver (U.S.A.) 40

Different pathways by which extracellular $Ca^{2+}$ promotes calcitonin gene-related peptide release from central terminals of capsaicin-sensitive afferents of guinea pigs: effect of capsaicin, high $K^+$ and low pH media
E. Del Bianco, P. Santicioli, M. Tramontana, C.A. Maggi, R. Cecconi and P. Geppetti (Italy) 46

Amyotrophic lateral sclerosis: changes of noradrenergic and serotonergic transmitter systems in the spinal cord
O. Bertel, S. Malessa, E. Sluga and O. Hornykiewicz (Austria) 54

Neuropeptide Y/angiotensin II interactions in central cardiovascular regulation of the rat
J.A. Aguirre, K. Fuxe, P. Hedlund, J.A. Narváez, A. Cintra, L. Rosén and L.F. Agnati (Sweden, Italy) 61

Unmyelinated primary afferent fiber stimulation depletes dynorphin A (1–8) immunoreactivity in rat ventral horn
C.M. Klein, L.S. Sorkin, K. Chung and R.E. Coggeshall (U.S.A.) 70

Induction of long-term potentiation is associated with an increase in the number of axospinous synapses with segmented postsynaptic densities
Y. Geinisman, L. deToledo-Morrell and F. Morrell (U.S.A.) 77

ATP-evoked calcium signal stimulates protein phosphorylation/dephosphorylation in astrocytes
J.T. Neary, R. Laskey, C. van Breemen, J. Blicharska, L.O.B. Norenberg and M.D. Norenberg (U.S.A.) 89

Neurochemical studies on the mesolimbic circuitry of antinociception
Q.P. Ma and J.S. Han (People's Republic of China) 95

Coexistence of acetylcholine and calcitonin gene-related peptide in the vestibular efferent neurons in the rat
K.. Ohno, N. Takeda, M. Yamano, T. Matsunaga and M. Tohyama (Japan) 103

Effects of substantia nigra γ-vinyl-GABA infusions on flurothyl seizures in adult rats
S.G. Xu, D.S. Garant, E.F. Sperber and S.L. Moshé (U.S.A.) 108

Effects of cholinergic agonists on two non-pyramidal cell types in rat hippocampal slices
L.J. Reece and P.A. Schwartzkroin (U.S.A.) 115

Effect of cadmium on $Ca^{2+}$ transport in brain microsomes
J. Shah and H.C. Pant (U.S.A.) 127

Lysosomal activity at nodes of Ranvier in dorsal column and dorsal root axons of the cat after injection of horseradish peroxidase in the dorsal column nuclei
K.P. Gatzinsky, C.-H. Berthold, C. Fabricius and A. Mellström (Sweden) 131

Effect of 6-hydroxydopamine and 5,7-dihydroxytryptamine on tissue uptake and cell nuclear retention of corticosterone in the rat hypothalamus
J. Weidenfeld and S. Feldman (Israel) 140

Brain ubiquitin is markedly elevated in Alzheimer disease
G. Ping Wang, S. Khatoon, K. Iqbal and I. Grundke-Iqbal (U.S.A.) 146

Hemispheric asymmetry of late auditory evoked response induced by pitch changes in infants: influence of sleep stages
R. Duclaux, M.J. Challamel, L. Collet, I. Roullet-Solignac and M. Revol (France) 152

Rapid postmortem decrease in the ectocellular acetylcholinesterase activity in rat striatum as assessed by in vivo microspectrophotometry
G. Testylier, P. Gourmelon, D. Clarençon, E. Multon, M. Fatome and J. Viret (France) 159

Regulation of σ receptors and responsiveness to guanine nucleotides following repeated exposure of rats to haloperidol: further evidence for multiple σ binding sites
Y. Itzhak and I. Stein (U.S.A.) 166

Depletion of brain serotonin by 5,7-DHT modifies hamster circadian rhythm response to light
L.P. Morin and J. Blanchard (U.S.A.) 173



(*contents continued on page 361*)



*Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)*

# BRAIN RESEARCH

**VOL. 566 NOS. 1/2** **CONTENTS** **6 DECEMBER 1991**



*Announcement from the Publisher* v

*Research Reports*

Regional differences in the regulation of acetylcholine release upon $D_2$ dopamine- and *N*-methyl-D-aspartate receptor activation in rat nucleus accumbens and neostriatum
J.M.L. Henselmans and J.C. Stoof (The Netherlands) 1

Differences in the regulation of acetylcholine release upon $D_2$ dopamine and *N*-methyl-D-aspartate receptor activation between the striatal complex of reptiles and the neostriatum of rats
J.M.L. Henselmans, P.V. Hoogland and J.C. Stoof (The Netherlands) 8

Autoradiographic distribution of $\alpha_2$ adrenoceptors, NAIBS, and 5-$HT_{1A}$ receptors in human brain using [$^3$H]idazoxan and [$^3$H]rauwolscine
H. De Vos, A. Convents, J. De Keyser, J.-P. De Backer, I.J.B. Van Megen, G. Ebinger and G. Vauquelin (Belgium, The Netherlands) 13

Restoration of serotonergic innervation underlies the behavioral effects of raphe grafts
G. Richter-Levin and M. Segal (Israel) 21

Efferent projections of the infralimbic (area 25) region of the medial prefrontal cortex in the rat: an anterograde tracer PHA-L study
M. Takagishi and T. Chiba (Japan) 26

Neither triazolam nor activity phase advance circadian locomotor activity in SCN-lesioned hamsters bearing fetal SCN transplants
R.S. Canbeyli, M.T. Romero and R. Silver (U.S.A.) 40

Different pathways by which extracellular $Ca^{2+}$ promotes calcitonin gene-related peptide release from central terminals of capsaicin-sensitive afferents of guinea pigs: effect of capsaicin, high $K^+$ and low pH media
E. Del Bianco, P. Santicioli, M. Tramontana, C.A. Maggi, R. Cecconi and P. Geppetti (Italy) 46

Amyotrophic lateral sclerosis: changes of noradrenergic and serotonergic transmitter systems in the spinal cord
O. Bertel, S. Malessa, E. Sluga and O. Hornykiewicz (Austria) 54

Neuropeptide Y/angiotensin II interactions in central cardiovascular regulation of the rat
J.A. Aguirre, K. Fuxe, P. Hedlund, J.A. Narváez, A. Cintra, L. Rosén and L.F. Agnati (Sweden, Italy) 61

Unmyelinated primary afferent fiber stimulation depletes dynorphin A (1–8) immunoreactivity in rat ventral horn
C.M. Klein, L.S. Sorkin, K. Chung and R.E. Coggeshall (U.S.A.) 70

Induction of long-term potentiation is associated with an increase in the number of axospinous synapses with segmented postsynaptic densities
Y. Geinisman, L. deToledo-Morrell and F. Morrell (U.S.A.) 77

ATP-evoked calcium signal stimulates protein phosphorylation/dephosphorylation in astrocytes
J.T. Neary, R. Laskey, C. van Breemen, J. Blicharska, L.O.B. Norenberg and M.D. Norenberg (U.S.A.) 89

Neurochemical studies on the mesolimbic circuitry of antinociception
Q.P. Ma and J.S. Han (People's Republic of China) 95

Coexistence of acetylcholine and calcitonin gene-related peptide in the vestibular efferent neurons in the rat
K.. Ohno, N. Takeda, M. Yamano, T. Matsunaga and M. Tohyama (Japan) 103

Effects of substantia nigra γ-vinyl-GABA infusions on flurothyl seizures in adult rats
S.G. Xu, D.S. Garant, E.F. Sperber and S.L. Moshé (U.S.A.) 108

Effects of cholinergic agonists on two non-pyramidal cell types in rat hippocampal slices
L.J. Reece and P.A. Schwartzkroin (U.S.A.) 115

Effect of cadmium on $Ca^{2+}$ transport in brain microsomes
J. Shah and H.C. Pant (U.S.A.) 127

Lysosomal activity at nodes of Ranvier in dorsal column and dorsal root axons of the cat after injection of horseradish peroxidase in the dorsal column nuclei
K.P. Gatzinsky, C.-H. Berthold, C. Fabricius and A. Mellström (Sweden) 131

Effect of 6-hydroxydopamine and 5,7-dihydroxytryptamine on tissue uptake and cell nuclear retention of corticosterone in the rat hypothalamus
J. Weidenfeld and S. Feldman (Israel) 140

Brain ubiquitin is markedly elevated in Alzheimer disease
G. Ping Wang, S. Khatoon, K. Iqbal and I. Grundke-Iqbal (U.S.A.) 146

Hemispheric asymmetry of late auditory evoked response induced by pitch changes in infants: influence of sleep stages
R. Duclaux, M.J. Challamel, L. Collet, I. Roullet-Solignac and M. Revol (France) 152

Rapid postmortem decrease in the ectocellular acetylcholinesterase activity in rat striatum as assessed by in vivo microspectrophotometry
G. Testylier, P. Gourmelon, D. Clarençon, E. Multon, M. Fatome and J. Viret (France) 159

Regulation of σ receptors and responsiveness to guanine nucleotides following repeated exposure of rats to haloperidol: further evidence for multiple σ binding sites
Y. Itzhak and I. Stein (U.S.A.) 166

Depletion of brain serotonin by 5,7-DHT modifies hamster circadian rhythm response to light
L.P. Morin and J. Blanchard (U.S.A.) 173



(*contents continued on page 361*)



*Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)*

(*contents continued*)

Serotonergic modulation of the hamster wheelrunning rhythm: response to lighting conditions and food deprivation
L.P. Morin and J. Blanchard (U.S.A.) 186
Central administration of the opioid antagonist, LY255582, decreases short- and long-term food intake in rats
A.S. Levine, M. Grace, C.J. Billington and D.M. Zimmerman (U.S.A.) 193
Selective expression of Jun proteins following axotomy and axonal transport block in peripheral nerves in the rat: evidence for a role in the regeneration process
J.D. Leah, T. Herdegen and R. Bravo (Australia, F.R.G., U.S.A.) 198
Low doses of γ-hydroxybutyric acid stimulate the firing rate of dopaminergic neurons in unanesthetized rats
M. Diana, G. Mereu, A. Mura, F. Fadda, N. Passino and G. Gessa (Italy) 208
Hypothalamic blood flow autoregulation remains unaltered following surgical and pharmacological blockade of central vasopressin
P. Sandor, M. Petty, W. de Jong, M. Palkovits and D. de Wied (France, Hungary, The Netherlands) 212
Muscle denervation increases thyrotropin-releasing hormone (TRH) biosynthesis in the rat medullary raphe
P. Van den Bergh, J.N. Octave and R.M. Lechan (Belgium, U.S.A.) 219
Distribution of excitatory and inhibitory amino acid, sigma, monoamine, catecholamine, acetylcholine, opioid, neurotensin, substance P, adenosine and neuropeptide Y receptors in human motor and somatosensory cortex
K.L.R. Jansen, R.L.M. Faull, M. Dragunow and R.A. Leslie (New Zealand, U.K.) 225
Convergence of somatosensory and baroreceptive inputs onto parabrachio-subfornical organ neurons in the rat: an electrophysiological study
Z.-S. Han, G.-B. Gu, C.-Q. Sun and G. Ju (Peoples Republic of China) 239
The quaking mouse: an epileptic mutant with alterations affecting the modulatory mechanisms of the NMDA receptor complex
N. Mitrovic, J. Caboche, J.B. Carré, M.J. Besson and Y. Maurin (France) 248
Estradiol enhances behavioral sensitization to cocaine and amphetamine-stimulated striatal [$^3$H]dopamine release
J. Peris, N. Decambre, M.L. Coleman-Hardee and J.W. Simpkins (U.S.A.) 255
Radiation enhances tumor necrosis factor α production by murine brain cells
C.S. Chiang and W.H. McBride (U.S.A.) 265
2,5-Anhydro-D-mannitol: its unique central action on food intake and blood glucose in rats
M. Kurokawa, T. Sakata, H. Yoshimatsu and H. Machidori (Japan) 270
One experience with 'lower' or 'higher' intensity stressors, respectively enhances or diminishes responsiveness to haloperidol weeks later: implications for understanding drug variability
S.M. Antelman, A.R. Caggiula, D. Kocan, Steven Knopf, D. Meyer, D.J. Edwards and H. Barry III (U.S.A.) 276
The nature of suprasegmental influences on the late reflex activity in human forearm muscles
R.S. Chequer, D.S. Goodin and M.J. Aminoff (U.S.A.) 284
Microinjection of glycine into the nucleus ambiguus elicits tachycardia in spinal rats
V.C. Chitravanshi, S.K. Agarwal and F.R. Calaresu (Canada) 290

*Short Communications*

Genetic influences in opioid analgesic sensitivity in mice
C.G. Pick, J. Cheng, D. Paul and G.W. Pasternak (U.S.A.) 295
Analgesia is produced by uterocervical mechanostimulation in rats: roles of afferent nerves and implications for analgesia of pregnancy and parturition
A.R. Gintzler and B.R. Komisaruk (U.S.A.) 299
Differential influence of medial and lateral preoptic areas on body temperature in conscious and unconscious rats
M. Noor Alam and B. Nath Mallick (India) 303
A glycinergic projection from the ventromedial lower brainstem to spinal motoneurons. An ultrastructural double labeling study in rat
J.C. Holstege and C.M.H. Bongers (The Netherlands) 308
Neurotoxic activation of glutamate receptors induces an extended neuronal depolarization in cultured hippocampal neurons
S. Sombati, D.A. Coulter and R.J. DeLorenzo (U.S.A.) 316
Serum and plasma from patients with Lambert-Eaton Myasthenic Syndrome reduce depolarization-dependent uptake of $^{45}Ca^{2+}$ into rat cortical synaptosomes
S.J. Hewett and W.D. Atchison (U.S.A.) 320
Class II MHC antigen expression by cultured human cerebral vascular endothelial cells
R.M. McCarron, L. Wang, E.P. Cowan and M. Spatz (U.S.A.) 325
Postsynaptic effects of DMSO at the frog neuromuscular junction
R. Cherki-Vakil and H. Meiri (Israel) 329
Co-expression of glial fibrillary acidic protein and vimentin in reactive astrocytes following brain injury in rats
J.L. Calvo, A.L. Carbonell and J. Boya (Spain) 333
A double-label analysis demonstrating that all enkephalin-immunoreactive amacrine cells in the chicken retina express neurotensin immunoreactivity
C.B. Watt, V.J. Florack and D.M.K. Lam (U.S.A.) 337
Brain glutamine synthetase activity and hyperoxia in neonatal rats
N.F. Schor, M. Ahdab-Barmada and E. Nemoto (U.S.A.) 342
Substantia nigra reticulata neurons during sleep–waking states: relation with ponto-geniculo-occipital waves
S. Datta, R. Curró Dossi, D. Paré, G. Oakson and M. Steriade (Canada) 344

*Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)*

Dopamine microdialysis in the nucleus accumbens during acute and chronic morphine, naloxone-precipitated withdrawal and clonidine treatment
E. Pothos, P. Rada, G.P. Mark and B.G. Hoebel (U.S.A.) 348
Evidence for a supraspinal mechanism in the opioid-mediated antinociceptive effect of ketamine
A. Baumeister and C. Advokat 351
Polyamine metabolism in transient focal ischemia of rat brain
W. Paschen, L. Csiba, G.Röhn and D. Bereczki (F.R.G., Hungary) 354

*Author Index* 358

*Contents continued* 361

*Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)*